

Limoneno

NAD Q-COSY

Lesot P, Sarfati M, Courtieu J. 2003. Natural abundance deuterium NMR spectroscopy in polypeptide liquid crystals as a new and incisive means for the enantiodifferentiation of chiral hydrocarbons. Chem Eur J 9(8): 1724-1745.

RMN¹H

Goncalves JA, da Silva MJ, Pilo-Veloso D, Howarth OW, Gusevskaya EV. 2005. Palladium catalyzed oxidation of monoterpenes: NMR study of palladium(II)-monoterpene interactions. J Organomet Chem 690(12): 2996-3003.

IR

Rhee H, June YG, Lee JS, Lee KK, Ha JH, Kim Z H, Jeon SJ, Cho M. 2009. Femtosecond characterization of vibrational optical activity of chiral molecules. Nature 458(7236): 310-313.

EMIE, P.F.

Won MM, Cha EJ, Yoon OK, Kim NS, Kim K, Lee DS. 2009. Use of headspace mulberry paper bag micro solid phase extraction for characterization of volatile aromas of essential oils from Bulgarian rose and Provence lavender. Anal Chim Acta 631(1): 54-61.

Actividad larvívica fuerte contra *Aedes aegypti* CL₅₀ 18.1 = µg/mL CL₉₀ = 41 µg/mL y contra *Aedes albopictus* CL₅₀ 32.7.1 = µg/mL CL₉₀ = 50 µg/mL

Cheng SS, Huang CG, Chen YJ, Yu JJ, Chen WJ, Chang ST. 2009. Chemical compositions and larvicidal activities of leaf essential oils from two eucalyptus species. Bioresource Technology 100(1): 452-456.

PE

Ribes A, Carrera G, Gallego E, Roca X, Berenguer MJ, Guardino X. 2007. Development and validation of a method for air-quality and nuisance odors monitoring of volatile organic compounds using multi-sorbent adsorption and gas chromatography/mass spectrometry thermal desorption system. J Chromatogr A 1140(1-2): 44-55.