

Ácido linoleico

Espectro de UV, IR, RMN¹H, RMN¹³C y Actividad antibacteriana contra *Staphylococcus aureus* (ATCC 29213) y *Bacillus subtilis* (CIM 31.25 µg/ml)

Marwah RG, Fatope MO, Deadman ML, Al-Maqbali YM, Husband J. 2007. Musanahol: a new aureonitol-related metabolite from a *Chaetomium* sp. *Tetrahedron* 63(34): 8174-8180.

Masas

Sebök A, Vasanits-Zsigrai A, Helenkar A, Záray Gy, Molnár-Perl I. 2009. Multiresidue analysis of pollutants as their trimethylsilyl derivatives, by gas chromatography-mass spectrometry. *J Chromatogr A* 1216(12): 2288-2301.

Punto de fusión, características físicas, punto de ebullición e índice de refracción.

The Index Merck: an encyclopedia of chemicals, drugs, and biologicals. 15th. ed. Whitehouse Station, NJ USA: Merck & Co INC, 2013.

Actividad antimicrobiana contra *Staphylococcus aureus* (CMI 2.2 mg/ml).

Kilic T, Dirmenci T, Satil F, Bilsel G, Kocagoz T, Altun M, Goren AC. 2005. Fatty acid compositions of seed oils of three turkish *Salvia* species and biological activities. *Chem Nat Compd* 41(3): 276-279.

Disminución del comportamiento de ansiedad en los cerdos.

Clouard C, Gerrits WJJ, van Kerkhof I, Smink W, Bolhuis JE. 2015. Dietary linoleic and α -linolenic acid affect anxiety-related responses and exploratory activity in growing pigs. *J Nutr* 145(2): 358-364.

Inhibe la toxicidad inducida por MPP⁺ en células PC12 para la enfermedad de Parkinson.

Tang KS. 2014. Protective effect of arachidonic acid and linoleic acid on 1-methyl-4-phenylpyridinium-induced toxicity in PC12 cells. *Lipids in Health and Disease* 13(197): 18.